

Design of Regional Monitoring of the Potential Effects of Oil and Gas Development on Groundwater Resources in California

M.K. Landon, K.A. Taylor, P.B. McMahon,

J.T. Kulongoski, M.S. Fram, & L.B. Ball,

U.S. Geological Survey

10th National Monitoring Conference, Tampa, Florida, May 3, 2016

Cooperators

- California State Water Resources Control Board
 - SB4 Regional Monitoring Program Water Quality in Areas of Oil and Gas Production
- U.S. Bureau of Land Management

- In coordination with:
 - Regional Water Quality Control Boards
 - California Division of Oil, Gas, and Geothermal Resources
 - Local water agencies



Outline

- Project Background
- Planned components of regional monitoring
 - Salinity Mapping
 - Produced Water/End-Member Characterization
 - Regional Groundwater Risk Zone Analysis Near Oil Fields



Project Background

- California Senate Bill 4 (2013) mandated monitoring of the effects of Well Stimulation Treatment (WST) on groundwater quality
- California State Water Resources Control Board developed monitoring criteria to be fully implemented Jan. 1, 2016
- Operators conduct local-area monitoring; USGS & State
 Water Board cooperating on regional monitoring



Project Background

- In CA, the full range of effects of oil and gas development are likely to have greater effect on water quality than WST
 - Long history of oil/gas development (100+ years), enhanced recovery methods (60+ years), underground waste disposal
 - WST in CA occurs in same petroleum reservoirs developed using other methods, not new reserves (shales) (CCST, 2015)
 - CA petroleum reservoirs relatively permeable: WST wells subvertical, relatively smaller volumes of fluids & contaminants compared to WST elsewhere (CCST, 2015)
- These factors make it difficult to separate effects of WST from legacy oil and gas development



Regional Monitoring Question

Has oil and gas development as a whole contributed to changes in groundwater quality at regional scales?




Technical Scope

- 2014-15: statewide, regional, and pilotscale analyses providing technical support for design and planning of regional monitoring program
- 2016- regional monitoring program implementation



Relative Prioritization of Oil Fields for Regional Monitoring of Groundwater Based on Vertical Proximity, Well Density, & Injection Volumes



Prioritization categories for consideration in implementing regional groundwater monitoring adjacent to oil fields

Davis et al. (in review)

Subject to revision


Collaborations

- USGS
 - California Water Science Center (many)
 - Colorado Water Science Center (McMahon)
 - Crustal Geophysics and Geochemistry Center (Ball et al.)
 - Branch of Geophysics (Lane, Day-Lewis et al.)
 - National Research Program & Research Labs (Aiken, Cozzarelli, Hunt, Kharaka, Kraus, Lorah, Orem et al.)
- Cal St Univ. Sacramento (Shimabukuro et al.)
- Cal St Univ. Bakersfield (Gillespie)
- Oxford University (Ballentine, Barry)
- Duke University (Vengosh et al.)





Salinity Mapping - Components

- Objective: map protected (<10K TDS) water near oil fields</p>
- Analysis of existing water sample data
- Salinity from borehole geophysical logs
- Surface and airborne geophysics (Electromagnetic)










Salinity Mapping - Outcome


- Where are protected groundwater resources in relation to oil & gas development
- What lies between protected resources and oil & gas operations?



Produced Water Sampling

- Characterization of oil-field source waters (library)
- Oil-field water chemistry varies
- Augments other sampling efforts







Regional Groundwater Risk Zone Analysis


- Identify whether fluids from oil and gas areas may be moving into groundwater
- For priority fields or groups of fields
 - 4.1 Existing data compilation
 - 4.2 Existing data visualization/monitoring design
 - 4.3 Groundwater sampling
 - 4.4 Hydrogeologic framework analysis
 - 4.5 Drilling/well installation
- Reporting (interim and final)

Iterative cycles



Existing Data & Geologic Framework Analysis


- Large amounts of oil/gas & water well construction, geophysical log, and lithology data being digitized so it can be used in numerical analysis (CSUS, USGS)
- Three dimensional representation of subsurface formations and/or lithology
- Provides context for understanding fluid movement & groundwater quality



(Sweetkind et al., 2013)




Wells Montebello Oil Field (LA)



Groundwater Sampling Network Design

- Shallow, mid-depth, and deep wells along multiple flow paths in & downgradient of oil field
- Well types
 - Existing wells
 - Depth-dependent sampling in existing wells
 - Drill new monitoring wells to fill key gaps as necessary after initial sampling of existing wells





Analytes for Produced Water & Groundwater

- C1-C6 gas concentrations and isotopes
- VOCs and semi-volatiles
- DOC, fractions, fluorescence, absorbance
- Major ions, trace elements
- Nutrients
- Ra isotopes
- \bullet δD , $\delta^{18}O$
- Sr, B, Li isotopes
- Noble and atmospheric gases
- Tritium, ¹⁴C
- Low-molecular weight organic acids

≥USGS

Samples are being analyzed at USGS, University, and Commercial laboratories

Summary


- Designed to determine where and to what degree groundwater quality is potentially at risk from oil and gas production activities
- Includes salinity mapping, produced water characterization, and regional groundwater monitoring & analysis in priority areas
- Early regional monitoring (2016-17) in Kern County: begin in areas of differing hydrogeologic setting on east & west side of Central Valley






Questions?











Construction of 3-D Geologic Framework and Textural Models for Cuyama Valley Groundwater Basin, Califor

References Cited

- California Council on Science and Technology (CCST), 2015, An independent scientific assessment of well stimulation in California, online at https://ccst.us/projects/hydraulic_fracturing_public/SB4.php
- Ponti, D.J., Wagner, B.J., Land, M., and Landon, M.K., 2014, Characterization of potential transport pathways and implications for groundwater management near an anticline in the Central Basin area, Los Angeles County, California: U.S. Geological Survey Open-File Report 2014-1087, 75 p. and appendix, http://dx.doi.org/10.3133/ofr20141087.
- Sweetkind, D.S., Faunt, C.C., and Hanson, R.T., 2013, construction of 3-D geologic framework and textural models for Cuyama Valley groundwater basin, California: U.S. Geological Survey Scientific Investigations Report 2013–5127, 46 p., http://pubs.usgs.gov/sir/2013/5127/

